Journal of Materials
Index to Volume 7
1972

Number	Month of Issue	Pages
1	March	1–110
2	June	111–266
3	September	267–442
4	December	443–597

A

Abbott, K. H.: *see* Manganello, S. J. and Abbott, K. H.
Acceleration (physics), simple, economical fragility test (Schell), June, 200
Aggregates
  nonbloated burned clay aggregate concrete (Martin, Ledbetter, Ahmad, and Britton), December, 555
  shear strength of untreated road base aggregates measured by variable lateral pressure triaxial cell (Dunn and Bora), June, 131
  strength of lightweight aggregates and concrete (Ramos and Shah), September, 380
  supplemental aggregates for construction (Marek), March, 50
Ahmad, H.: *see* Martin, J. R., Ledbetter, W. B., Ahmad, H., and Britton, S. C.
Aircraft, fatigue crack initiation detector (Marlowe and Steel), March, 28
Aïtcin, P. C. and Poulin, C.: Rapid grain size analysis method, June, 113
Alloy steels
  composition and structure of rust layers and corrosion rate of chromium steels exposed to a marine atmosphere (Faulring), December, 542
  plastic strip specimen for fatigue crack propagation studies in low yield strength alloys (McHenry and Irwin), December, 455
Aluminum alloys
  creep rupture testing of aluminum alloys to 100,000 hours (Wilson and Voorhees), December, 501
  fatigue failure predictions for complicated stress-strain histories (Dowling), March, 71
  fracture toughness and stress corrosion properties of aluminum alloy hand forgings (Chu and Wacker), March, 95
  low cycle fatigue of aluminum alloys (Brodrick and Spiering), December, 515
Atherton, M. J.: An objective method for drawing transition curves, September, 355
Atmospheric corrosion tests, composition and structure of rust layers and corrosion rate of chromium steels exposed to a marine atmosphere (Faulring), December, 542
Austenitic stainless steels, metallographic examination of type 304 stainless steel creep rupture specimens (Biss, Sponseller, and Semchyshen), March, 88

B

Bailey, J. A. and Haas, S. L.: Hot workability test, March, 8
Ballistics, metallurgical factors affecting the ballistic behavior of steel targets (Manganello and Abbott), June, 231
Barbee, T. W., Jr., Seaman, L., Crewdson, R., and Curran, D.: Dynamic fracture criteria for ductile and brittle metals, September, 393
Barlow, J. W.: *see* DiBenedetto, A. T., Gauchel, J. V., Thomas, R. L. and Barlow, J. W.
Barton, J. P.: Visual image quality indivator (VISQI) for neutron radiography, March, 18
Bartoskewitz, R. E.: *see* Coyle, H. M., Bartoskewitz, R. E., and Korb, K. W.
Bending
  biaxial flexure tests of ceramic substrates (Wachtman, Capps, and Mandel), June, 188
  sheared edge bend test (Hutchinson bend test) (Grozier), March, 3
Bend tests
  appraisal of the Locati and Prot methods for determining fatigue limits (Diez and Salkin), March, 32
  plane strain fracture toughness tests on 2.4 and 3.9-inch-thick maraging steel specimens at various yield strength levels (Fisher and Repko), June, 167
Berg, C. A. and Salama, M.: Compressive fatigue in fiber reinforced materials, June, 216
Berman, H. A.: Determination of chloride in hardened portland cement paste, mortar, and concrete, September, 330
Bhargava, Jitendra and Rehnström, Åke: Quantitative microradiography of concrete using color film, March, 25
Biss, V., Sponseller, D. L., and Semchyshen, M.: Metallographic examination of type 304 stainless steel creep rupture specimens, March, 88
Bora, P. K.: *see* Dunn, C. S. and Bora P. K.
Brasses, some aspects of using annealed 70-30 brass (Guttmann and Kaeslingk), September, 425
Bricks, effect of brick height on masonry compressive strength (Houston and Grimm), September, 388
Brittleness
  dynamic fracture criteria for ductile and brittle metals (Barbee, Seaman, Crewdson, and Curran), September, 393
  probability of failure of brittle materials subjected to dynamic or static fatigue (Wilkins), June, 251
Britton, S. C.: *see* Martin, J. R., Ledbetter, W. B., Ahmad, H., and Britton, S. C.
Brodrick, R. F. and Spiering, G. A.: Low cycle fatigue of aluminum alloys, December, 515
Bucci, R. J. and Paris, P. C.: Fatigue behavior of a titanium 8A1-1Mo-1V alloy in a dry argon environment, September, 402

C

Capps, W.: *see* Wachtman, J. B., Jr., Capps, W., and Mandel, J.
Ceramics
  biaxial flexure tests of ceramic substrates (Wachtman, Capps, and Mandel), June, 188
  probability of failure of brittle materials subjected to dynamic or static fatigue (Wilkins), June, 251
Chang, T. Y. H.: *see* Wang, Mian-Chang and Chang, T. Y. H.
Chen, W. F. and Trumbauer, B. E.: Double-punch test and tensile strength of concrete, June, 148
Chlorides, determination of chloride in hardened portland cement paste, mor-

Journal of Materials
Index to Volume 7
1972

Number	Month of Issue	Pages
1	March	1–110
2	June	111–266
3	September	267–442
4	December	443–597

A

Abbott, K. H.: *see* Manganello, S. J. and Abbott, K. H.
Acceleration (physics), simple, economical fragility test (Schell), June, 200
Aggregates
  nonbloated burned clay aggregate concrete (Martin, Ledbetter, Ahmad, and Britton), December, 555
  shear strength of untreated road base aggregates measured by variable lateral pressure triaxial cell (Dunn and Bora), June, 131
  strength of lightweight aggregates and concrete (Ramos and Shah), September, 380
  supplemental aggregates for construction (Marek), March, 50
Ahmad, H.: *see* Martin, J. R., Ledbetter, W. B., Ahmad, H., and Britton, S. C.
Aircraft, fatigue crack initiation detector (Marlowe and Steel), March, 28
Aïtcin, P. C. and Poulin, C.: Rapid grain size analysis method, June, 113
Alloy steels
  composition and structure of rust layers and corrosion rate of chromium steels exposed to a marine atmosphere (Faulring), December, 542
  plastic strip specimen for fatigue crack propagation studies in low yield strength alloys (McHenry and Irwin), December, 455
Aluminum alloys
  creep rupture testing of aluminum alloys to 100,000 hours (Wilson and Voorhees), December, 501
  fatigue failure predictions for complicated stress-strain histories (Dowling), March, 71
  fracture toughness and stress corrosion properties of aluminum alloy hand forgings (Chu and Wacker), March, 95
  low cycle fatigue of aluminum alloys (Brodrick and Spiering), December, 515
Atherton, M. J.: An objective method for drawing transition curves, September, 355
Atmospheric corrosion tests, composition and structure of rust layers and corrosion rate of chromium steels exposed to a marine atmosphere (Faulring), December, 542
Austenitic stainless steels, metallographic examination of type 304 stainless steel creep rupture specimens (Biss, Sponseller, and Semchyshen), March, 88

B

Bailey, J. A. and Haas, S. L.: Hot workability test, March, 8
Ballistics, metallurgical factors affecting the ballistic behavior of steel targets (Manganello and Abbott), June, 231
Barbee, T. W., Jr., Seaman, L., Crewdson, R., and Curran, D.: Dynamic fracture criteria for ductile and brittle metals, September, 393
Barlow, J. W.: *see* DiBenedetto, A. T., Gauchel, J. V., Thomas, R. L. and Barlow, J. W.
Barton, J. P.: Visual image quality indivator (VISQI) for neutron radiography, March, 18
Bartoskewitz, R. E.: *see* Coyle, H. M., Bartoskewitz, R. E., and Korb, K. W.
Bending
  biaxial flexure tests of ceramic substrates (Wachtman, Capps, and Mandel), June, 188
  sheared edge bend test (Hutchinson bend test) (Grozier), March, 3
Bend tests
  appraisal of the Locati and Prot methods for determining fatigue limits (Diez and Salkin), March, 32
  plane strain fracture toughness tests on 2.4 and 3.9-inch-thick maraging steel specimens at various yield strength levels (Fisher and Repko), June, 167
Berg, C. A. and Salama, M.: Compressive fatigue in fiber reinforced materials, June, 216
Berman, H. A.: Determination of chloride in hardened portland cement paste, mortar, and concrete, September, 330
Bhargava, Jitendra and Rehnström, Åke: Quantitative microradiography of concrete using color film, March, 25
Biss, V., Sponseller, D. L., and Semchyshen, M.: Metallographic examination of type 304 stainless steel creep rupture specimens, March, 88
Bora, P. K.: *see* Dunn, C. S. and Bora P. K.
Brasses, some aspects of using annealed 70-30 brass (Guttmann and Kaeslingk), September, 425
Bricks, effect of brick height on masonry compressive strength (Houston and Grimm), September, 388
Brittleness
  dynamic fracture criteria for ductile and brittle metals (Barbee, Seaman, Crewdson, and Curran), September, 393
  probability of failure of brittle materials subjected to dynamic or static fatigue (Wilkins), June, 251
Britton, S. C.: *see* Martin, J. R., Ledbetter, W. B., Ahmad, H., and Britton, S. C.
Brodrick, R. F. and Spiering, G. A.: Low cycle fatigue of aluminum alloys, December, 515
Bucci, R. J. and Paris, P. C.: Fatigue behavior of a titanium 8A1-1Mo-1V alloy in a dry argon environment, September, 402

C

Capps, W.: *see* Wachtman, J. B., Jr., Capps, W., and Mandel, J.
Ceramics
  biaxial flexure tests of ceramic substrates (Wachtman, Capps, and Mandel), June, 188
  probability of failure of brittle materials subjected to dynamic or static fatigue (Wilkins), June, 251
Chang, T. Y. H.: *see* Wang, Mian-Chang and Chang, T. Y. H.
Chen, W. F. and Trumbauer, B. E.: Double-punch test and tensile strength of concrete, June, 148
Chlorides, determination of chloride in hardened portland cement paste, mor-

tar, and concrete (Berman), September, 330
Chu, H. P. and Wacker, G. A.: Fracture toughness and stress corrosion properties of aluminum alloy hand forgings, March, 95
Chun, Dan: Alternate criteria for notch toughness behavior characterization of certain metals and associated design of experiments, June, 257
Clays, nonbloated burned clay aggregate concrete (Martin, Ledbetter, Ahmed, and Britton), December, 555
Coatings and corrosion (Hartley), September, 361
Collins, J. A. and Tovey, F. M.: Fretting-fatigue mechanisms and the effect of direction of fretting on fatigue strength, December, 460
Compacting, relationships between pore characteristics and compacting properties of copper powders (Klar), September, 418
Composite materials
compressive fatigue in fiber reinforced materials (Berg and Salama), June, 216
effect of specimen geometry on fatigue strength of boron- and glass-epoxy composites (Lucas and Sainsbury-Carter), December, 586
effect of surface softening on the tensile strength of mechanically gripped fiberglass rods (Reifsnider and Kelley), March, 55
nondestructive determination of fatigue crack damage in composites using vibration tests (DiBenedetto, Gauchel, Thomas, and Barlow), June, 211
Compressibility, pore structure and compressibility of iron powders (Klar and Petrosh), March, 57
Compressive strength, effect of brick height on masonry compressive strength (Houston and Grimm), September, 388
Compression test, double-punch test and tensile strength of concrete (Chen and Trumbauer), June, 148
Computerized simulation, thermal parameters for fireproofing materials (Krokosky), March, 100
Concrete durability
nonbloated burned clay aggregate concrete (Martin, Ledbetter, Ahmad, and Britton), December, 555
programmed freeze-thaw durability testing unit for evaluating paving materials (Dempsey), June, 143
Concretes
determination of chloride in hardened portland cement paste, mortar, and concrete (Berman), September, 330
double-punch test and tensile strength of concrete (Chen and Trumbauer), June, 148
nonbloated burned clay aggregate concrete (Martin, Ledbetter, Ahmad, and Britton), December, 555
quantitative microradiography of concrete using color film (Bhargava and Rehnström), March, 25
strength of lightweight aggregates and concrete (Ramos and Shah), September, 380
supplemental aggregates for construction (Marek), March, 50
Contamination, ferricyanide prints of metallic iron contamination on stainless steel (Geld), September, 326
Copper alloys, mechanical properties of tin modified copper nickel alloy strip (Herbert), September, 410
Corrosion
coatings and corrosion (Hartley), September, 361
composition and structure of rust layers and corrosion rate of chromium steels exposed to a marine atmosphere (Faulring), December, 542
Coyle, H. M., Bartoskewitz, R. E., and Korb, K. W.: Soil resistance parameters for wave equation analysis, December, 486
Cracking (fracturing)
fatigue crack initiation detector (Marlowe and Steel), March, 28
influence of temperature of fatigue crack growth in a mill annealed Ti-6A1-4V alloy (Wei and Ritter), June, 240
nondestructive determination of fatigue crack damage in composites using vibration tests (DiBenedetto, Gauchel, Thomas, and Barlow), June, 211
sheared edge bend test (Hutchinson bend test) Grozier, March, 3
Crack propagation
crack growth resistance in laminated, glass-epoxy sheet (Kendall), September, 430
fatigue behavior of a titanium 8A1-1Mo-1V alloy in a dry argon environment (Bucci and Paris), September, 402
fatigue crack growth in selected alloys for reactor applications (Shahinian, Watson, and Smith), December, 527
low cycle fatigue crack propagation in 1018 steel (Solomon), September, 299
measuring fracture toughness—a simplified approach using controlled crack propagation (Weitzmann and Finnie), September, 294
plastic-strip specimen for fatigue crack propagation studies in low yield strength alloys (McHenry and Irwin), December, 455
Creep properties
creep rupture testing of aluminum alloys to 100,000 hours (Wilson and Voorhees), December, 501
some anomalies in creep and low cycle fatigue behavior of metals (Kenig), March, 60
Creep rupture tests, metallographic examination of type 304 stainless steel creep rupture specimens (Biss, Sponseller, and Semchyshen), March, 88
Crewdson, R.: *see* Barbee, T. W., Jr., Seaman, L., Crewdson, R., and Curran, D.
Cummerow, R. L. and Macdonald, B. P.: Determination of Young's modulus of filamentary materials as a function of temperature, September, 286
Curran, D.: *see* Barbee, T. W., Jr., Seaman, L., Crewdson, R., and Curran, D.
Cyclic loads
fatigue failure predictions for complicated stress-strain histories (Dowling), March, 71
some anomalies in creep and low cycle fatigue behavior of metals (Kenig), March, 60
Cycle ratio, fatigue behavior of molybdenum (Stephens, Dubensky, Frauen, and Wrenn), March, 64

D

DeBaise, G. R.: Morphology of wood shear fracture, December, 568
Deep drawing, some aspects of using annealed 70-30 brass (Guttmann and Kaeslingk), September, 425
Deformation studies by a new method combining analyses of X-ray line profile and X-ray topography with transmission electron microscopy (Weissmann and Kannan), September, 279
Dempsey, B. J.: Programmed freeze-thaw durability testing unit for evaluating paving materials, June, 143
Deterioration, coatings and corrosion (Hartley), September, 361
DiBenedetto, A. T., Gauchel, J. V., Thomas, R. L., and Barlow, J. W.: Nondestructive determination of fatigue crack damage in composites using vibration tests, June, 211
Diez, J. M. and Salkin, R. V.: Appraisal of the Locati and Prot methods for determining fatigue limits, March, 32
Donachie, M. J., Jr. and Kriege, O. H.: Phase extraction and analysis in superalloys—summary of investigations by ASTM Committee E-4 Task Group 1, September, 269
Dowling, N. E.: Fatigue failure predictions for complicated stress-strain histories, March, 71

plane strain fracture toughness tests on 2.4 and 3.9-inch-thick maraging steel specimens at various yield strength levels (Fisher and Repko), June, 167
Marek, C. R.: Supplemental aggregates for construction, March, 50
Marlowe, D. E. and Steel, J. S.: Fatigue crack initiation detector, March, 28
Marmin, A. J. and Sommelet, Peter: Viscosity index repeatability and reproducibility, June, 206
Martin, J. R., Ledbetter, W. B., Ahmad, H., and Britton, S. C.: Nonbloated burned clay aggregate concrete, December, 555
Masonry, effect of brick height on masonry compressive strength (Houston and Grimm), September, 388
Mathematical models, alternate criteria for notch toughness behavior characterization of certain metals and associated design of experiments (Chun), June, 257
McCabe, D. E.: Evaluation of the compact tension specimen for determining plane strain fracture toughness of high strength materials, December, 449
McHenry, H. I. and Irwin, G. R.: A plastic-strip specimen for fatigue crack propagation studies in low yield strength alloys, December, 455
Measuring instruments, steel wire gage (Kelley), March, 46
Mechanical properties of tin modified copper nickel alloy strip (Herbert), September, 410
Metallurgy
an objective method for drawing transition curves (Atherton), September, 355
metallurgical factors affecting the ballistic behavior of steel targets (Manganello and Abbott), June, 231
pore structure and compressibility of iron powders (Klar and Petrosh), March, 57
relationships between pore characteristics and compacting properties of copper powders (Klar), September, 418
Meyers, C. L., Jr.: *see* Yancey, M. E. and Meyers, C. L., Jr.
Miller, James: Low cycle fatigue under biaxial strain controlled conditions, September, 307
Modulus, vibration shear modulus of sedimented silt (Wang and Chang), September, 435
Modulus of elasticity, determination of Young's modulus of filamentary materials as a function of temperature (Cummerow and Macdonald), September, 286
Molybdenum, fatigue behavior of molybdenum (Stephens, Dubensky, Frauen, and Wrenn), March, 64
Moreen, H. A.: *see* Olsen, R. H. and Moreen, H. A.
Morphology of wood shear fracture (DeBaise), December, 568
Mortars (materials), determination of chloride in hardened portland cement paste, mortar, and concrete (Berman), September, 330

N

Natural rubbers, thermal conductivity of natural rubber from 134 to 314 K (Pilsworth, Hoge, and Robinson), December, 580
Necking, tension testing without local necking (Taraldsen), December, 470
Neutron radiography, visual image quality indicator (VISQI) for neutron radiography (Barton), March, 18
Nickel alloys
fatigue crack growth in selected alloys for reactor applications (Shahinian, Watson, and Smith), December, 527
mechanical properties of tin modified copper nickel alloy strip (Herbert), September, 410
Nickel steels, effect of specimen type and preparation on fracture toughness measurements (Purdy and Shewchuk), March, 38
Nondestructive tests
nondestructive determination of fatigue crack damage in composites using vibration tests (DiBenedetto, Gauchel, Thomas, and Barlow), June, 211
Nondestructive tests
nondestructive testing for durability evaluation of naval boilers (Peters), September, 315
X-ray measurement of soil densities in models (Krinitzsky), June, 119
Northway, L. G.: *see* Gittins, A., Northway, L. G., and Sellars, C. M.
Notch sensitivity, alternate criteria for notch toughness behavior characterization of certain metals and associated design of experiments (Chun), June, 257
Nuclear fuel cladding, eddy current diametral extensometer for testing pressurized tubular specimens (Yancey and Meyers), March, 14
Nuclear reactors, interpreting the structural significance of time-dependent embrittlement phenomena to nuclear reactor pressure vessel integrity (Steele and Watson), June, 178

O

Olsen, R. H. and Moreen, H. A.: X-ray diffraction by alpha titanium, March, 48
O'Malia, J. A. and Peters, B. F.: Two-stage lucite replicas for electron fractography, December, 510

P

Paris, P. C.: *see* Bucci, R. J. and Paris, P. C.
Patterson, D., Jr.: *see* Jones, R. L. and Patterson, D., Jr.
Peters, B. F.: Nondestructive testing for durability evaluation of naval boilers, September, 315
Peters, B. F.: *see* O'Malia, J. A. and Peters, B. F.
Petrosh, A.: *see* Klar, E. and Petrosh, A.
Photographic film, quantitative microradiography of concrete using color film (Bhargava and Rehnström), March, 25
Pile structures, soil resistance parameters for wave equation analysis (Coyle, Bartoskewitz, and Korb), December, 486
Pilsworth, M. N., Jr., Hoge, H. J., and Robinson, H. E.: Thermal conductivity of natural rubber from 134 to 314 K, December, 580
Pine wood, morphology of wood shear fracture (DeBaise), December, 568
Plastic deformation
eddy current diametral extensometer for testing pressurized tubular specimens (Yancey and Meyers), March, 14
plane strain fracture toughness tests on 2.4 and 3.9-inch-thick maraging steel specimens at various yield strength levels (Fisher and Repko), June, 167
Porosity
pore structure and compressibility of iron powders (Klar and Petrosh), March, 57
relationships between pore characteristics and compacting properties of copper powders (Klar), September, 418
Portland cements, determination of chloride in hardened portland cement paste, mortar, and concrete (Berman), September, 330
Poulin, C.: *see* Aïtcin, P. C. and Poulin, C.
Pressure vessels
interpreting the structural significance of time-dependent embrittlement phenomena to nuclear reactor pressure vessel integrity (Steele and Watson), June, 178
pressure vessel proof test variables and flaw growth (Schliessmann), December, 465
Puncture resistance, different approach to dynamic puncture of thin films and sheeting (Jones and Patterson), June, 195
Purdy, I. L. and Shewchuk, J.: Effect of specimen type and preparation on

fracture toughness measurements, March, 38

Q

Quality control, visual image quality indicator (VISQI) for neutron radiography (Barton), March, 18

R

Radiography, quantitative microradiography of concrete using color film (Bhargava and Rehnström), March, 25
Ramos, C. and Shah, S. P.: Strength of lightweight aggregates and concrete, September, 380
Raw materials, supplemental aggregates for construction (Marek), March, 50
Rehnström, Åke: *see* Bhargava, Jitendra and Rehnström, Åke
Repko, A. J.: *see* Fisher, D. M. and Repko, A. J.
Replicas, two-stage lucite replicas for electron fractography (O'Malia and Peters), December, 510
Reproducibility, viscosity index repeatability and reproducibility (Marmin and Sommelet), June, 206
Reifsnider, K. L. and Kelley, C. E.: Effect of surface softening on the tensile strength of mechanically gripped fiberglass rods, March, 55
Ritter, D. L.: *see* Wei, R. P. and Ritter, D. L.
Robinson, H. E.: *see* Pilsworth, M. N., Jr., Hoge, H. J., and Robinson, H. E.

S

Sainsbury-Carter, J. B.: *see* Lucas, J. J. and Sainsbury-Carter, J. B.
Salama, M.: *see* Berg, C. A. and Salama, M.
Salkin, R. V.: *see* Diez, J. M. and Salkin, R. V.
Sampling, general theory of sampling, discussion 3 (Visman and Duncan), September, 345
Sands, standard penetration test and foundation practice in fine sands in Israel (Zolkov), September, 336
Schell, E. H.: Simple, economical fragility test, June, 200
Schepp, R. C.: Worksheet and procedure for percentage finer in combined sieve and hydrometer analysis of soils, March, 43
Schliessmann, J. A.: Pressure vessel proof test variables and flaw growth, December, 000
Seaman, L.: *see* Barbee, T. W., Jr., Seaman, L., Crewdson, R., and Curran, D.
Sellars, C. M.: *see* Gittins, A., Northway, L. G., and Sellars, C. M.
Semchyshen, M.: *see* Biss, V., Sponseller, D. L., and Semchyshen, M.
Semiatin, S. L.: *see* Hartman, W. F. and Semiatin, S. L.
Shah, S. P.: *see* Ramos, C. and Shah, S. P.
Shahinian, P., Watson, H. E., and Smith, H. H.: Fatigue crack growth in selected alloys for reactor applications, December, 527
Shear modulus, determination of the elastic shear modulus during quantized parabolic strain hardening of brass (Hartman and Semiatin), December, 474
Shear properties, morphology of wood shear fracture (DeBaise), December, 568
Shear strength of untreated road base aggregates measured by variable lateral pressure triaxial cell (Dunn and Bora), June, 131
Sheets, different approach to dynamic puncture of thin films and sheeting (Jones and Patterson), June, 195
Shewchuk, J.: *see* Purdy, I. L. and Shewchuk, J.
Sieve analysis, worksheet and procedure for percentage finer in combined sieve and hydrometer analysis of soils (Schepp), March, 43
Smith, H. H.: *see* Shahinian, P., Watson, H. E., and Smith, H. H.
Soil analysis, soil resistance parameters for wave equation analysis (Coyle, Bartoskewitz, and Korb), December, 486
Soil mechanics, standard penetration test and foundation practice in fine sands in Israel (Zolkov), September, 336
Soil properties, X-ray measurement of soil densities in models (Krinitzsky), June, 119
Soils
  soil resistance parameters for wave equation analysis (Coyle, Bartoskewitz, and Korb), December, 486
  worksheet and procedure for percentage finer in combined sieve and hydrometer analysis of soils (Schepp), March, 43
Soil tests, rapid grain size analysis method (Åitcin and Poulin), June, 113
Solomon, H. D.: Low cycle fatigue crack propagation in 1018 steel, September, 299
Sommelet, Peter: *see* Marmin, A. J. and Sommelet, Peter
Spiering, G. A.: *see* Brodrick, R. F. and Spiering, G. A.
Sponseller, D. L.: *see* Biss, V., Sponseller, D. L., and Semchyshen, M.
Sprowls, D. O. and Kaufman, J. G.: Discussion on fracture toughness and stress corrosion properties of aluminum alloy hand forgings (Chu and Wacker), June, 263
Stability, measuring fracture toughness—a simplified approach using controlled crack propagation (Weitzmann and Finnie), September, 294
Stainless steels
  eddy current diametral extensometer for testing pressurized tubular specimens (Yancey and Meyers), March, 14
  ferricyanide prints of metallic iron contamination on stainless steels (Geld), September, 326
Statistical analysis
  alternate criteria for notch toughness behavior characterization of certain metals and associated design of experiments (Chun), June, 257
  statistical precedence theory applied to accelerated life test comparisons (Little), September, 351
Steel, J. S.: *see* Marlowe, D. E. and Steel, J. S.
Steele, L. E. and Watson, H. E.: Interpreting the structural significance of time-dependent embrittlement phenomena to nuclear reactor pressure vessel integrity, June, 178
Steels
  appraisal of the Locati and Prot methods for determining fatigue limits (Diez and Salkin), March, 32
  fatigue crack growth in selected alloys for reactor applications (Shahinian, Watson, and Smith), December, 527
  metallurgical factors affecting the ballistic behavior of steel targets (Manganello and Abbott), June, 231
  sheared edge bend test (Hutchinson bend test) (Grozier), March, 3
  study of strength and ductility using hot impact tension tests (Gittins, Northway, and Sellars), June, 155
Steel wire gage (Kelley), March, 46
Stephens, R. I., Dubensky, R. G., Frauen, L. L., and Wrenn, R. L.: Fatigue behavior of molybdenum, March, 64
Stephens, R. I.: *see* Helebrant, D. R. and Stephens, R. I.
Strain hardening, determination of the elastic shear modulus during quantized parabolic strain hardening of brass (Hartman and Semiatin), December, 474
Strain rate, hot workability test (Bailey and Haas), March, 8
Strains, low cycle fatigue under biaxial strain controlled conditions (Miller), September, 307
Stress corrosion, fracture toughness and stress corrosion properties of aluminum alloy hand forgings (Chu and Wacker), March, 95
Stress corrosion tests, some aspects of using annealed 70-30 brass (Guttmann and Kaeslingk), September, 425

Stresses
low cycle fatigue crack propagation in 1018 steel (Solomon), September, 299
low cycle fatigue under biaxial strain controlled conditions (Miller), September, 307
Stress-strain diagrams
fatigue failure predictions for complicated stress-strain histories (Dowling), March, 71
low cycle fatigue of aluminum alloys (Brodrick and Spiering), December, 515
Substrates, biaxial flexure tests of ceramic substrates (Wachtman, Capps, and Mandel), June, 188
Superalloys, phase extraction and analysis in superalloys—summary of investigations by ASTM Committee E-4 task group 1 (Donachie and Kriege), September, 269

T

Tantalum, cyclic yield behavior of tantalum (Helebrant and Stephens), December, 536
Taraldsen, Alf: Tension testing without local necking, December, 470
Tensile properties, evaluation of the compact tension specimen for determining plane strain fracture toughness of high strength materials (McCabe), December, 449
Tensile strength
double-punch test and tensile strength of concrete (Chen and Traumbauer), June, 148
effect of surface softening on the tensile strength of mechanically gripped fiberglass rods (Reifsnider and Kelley), March, 55
Tension tests
low cycle fatigue of aluminum alloys (Brodrick and Spiering), December, 515
plane strain fracture toughness tests on 2.4 and 3.9-inch-thick maraging steel specimens at various yield strength levels (Fisher and Repko), June, 167
strength of lightweight aggregates and concrete (Rmaos and Shah), September, 380
study of strength and ductility using hot impact tension tests (Gittins, Northway, and Sellars), June, 155
tension testing without local necking (Taraldsen), December, 470
Test chambers, programmed freeze-thaw durability testing unit for evaluating paving materials (Dempsey), June, 143
Thermal burns, material properties criteria for thermal safety (Wu), December, 573
Thermal conductivity
finite element prediction of fireproofing effectiveness (Wade and Krokosky), December, 496
thermal conductivity of natural rubber from 134 to 314 K (Pilsworth, Hoge, and Robinson), December, 580
thermal parameters for fireproofing materials (Krokosky), March, 100
Thermodynamic properties, material properties criteria for thermal safety (Wu), December, 573
Thin films, different approach to dynamic puncture of thin films and sheeting (Jones and Patterson), June, 195
Thomas, R. L.: *see* DiBenedetto, A. T., Gauchel, J. V., Thomas, R. L., and Barlow, J. W.
Tin containing alloys, mechanical properties of tin modified copper nickel alloy strip (Herbert), September, 410
Titanium
eddy current testing of brazed titanium honeycomb (Woodmansee and Kennedy), December, 480
X-ray diffraction by alpha titanium (Olsen and Moreen), March, 48
Titanium alloys
fatigue behavior of a titanium 8Al-1Mo-1V alloy in a dry argon environment (Bucci and Paris), September, 402
influence of temperature on fatigue crack growth in a mill annealed Ti-6Al-4V alloy (Wei and Ritter), June, 240
Torsion tests, hot workability test (Bailey and Haas), March, 8
Toughness, fracture toughness and stress corrosion properties of aluminum alloy hand forgings (Chu and Wacker), March, 95
Tovey, F. M.: *see* Collins, J. A. and Tovey, F. M.
Transition points, an objective method for drawing transition curves (Atherton), September, 355
Triaxial tests, shear strength of untreated road base aggregates measured by variable lateral pressure triaxial cell (Dunn and Bora), June, 131
Trumbauer, B. E.: *see* Chen, W. F. and Trumbauer, B. E.

V

Variance, general theory of sampling, discussion 3 (Visman and Duncan), September, 345
Vibration shear modulus of sedimented silt (Wang and Chang), September, 435
Vibration tests, determination of Young's modulus of filamentary materials as a function of temperature (Cummerow and Macdonald), September, 286
Viscosity index repeatability and reproducibility (Marmin and Sommelet), June, 206
Visman, J. and Duncan, A. J.: A general theory of sampling, discussion 3, September, 345
Visual inspection, visual image quality indicator (VISQI) for neutron radiography (Barton), March, 18
Voorhees, H. R.: *see* Wilson, D. J. and Voorhees, H. R.

W

Wachtman, J. B., Jr., Capps, W., and Mandel, J.: Biaxial flexure tests of ceramic substrates, June, 188
Wacker, G. A.: *see* Chu, H. P. and Wacker, G. A.
Wade, L. V. and Krokosky, E. M.: Finite element prediction of fireproofing effectiveness, December, 496
Wang, Mian-Chang and Chang, T. Y. H.: Vibration shear modulus of sedimented silt, September, 435
Watson, H. E.:
see Shahinian, R., Watson, H. E., and Smith, H. H.
see also Steele, L. E. and Watson, H. E.
Wave equations, soil resistance parameters for wave equation analysis (Coyle, Bartoskewitz, and Korb), December, 486
Wave propagation, vibration shear modulus of sedimented silt (Wang and Chang), September, 435
Wei, R. P. and Ritter, D. L.: Influence of temperature on fatigue crack growth in a mill annealed Ti-6Al-4V alloy, June, 240
Weissmann, Sigmund and Kannan, V. C.: Deformation studies by a new method combining analyses of X-ray line profile and X-ray topography with transmission electron microscopy, September, 279
Weitzmann, R. H. and Finnie, Iain: Measuring fracture toughness—a simplified approach using controlled crack propagation, September, 294
Wilkins, B. J. S.: Probability of failure of brittle materials subjected to dynamic or static fatigue, June, 251
Wilson, D. J. and Voorhees, H. R.: Creep rupture testing of aluminum alloys to 100,000 hours, December, 501
Wimber, R. T. and Halvorson, J. J.: Electrical resistivity of iridium at high temperatures, December, 564
Woodmansee, W. E. and Kennedy, J. C.: Eddy current testing of brazed titanium honeycomb, December, 480
Wrenn, R. L.: *see* Stephens, R. I., Dubensky, R. G., Frauen, L. L., and Wrenn, R. L.
Wu, Yung-Chi: Material properties criteria for thermal safety, December, 573

X

X-ray analysis
deformation studies by a new method combining analyses of X-ray line profile and X-ray topography with transmission electron microscopy (Weissmann and Kannan), September, 279
X-ray measurement of soil densities in models (Krinitzsky), June, 119
X-ray diffraction
by alpha titanium (Olsen and Moreen), March, 48
phase extraction and analysis in superalloys—summary of investigations by ASTM Committee E-4 task group 1 (Donachie and Kriege), September, 269

Y

Yancey, M. E. and Meyers, C. L., Jr.: Eddy current diametral extensometer for testing pressurized tubular specimens, March, 14
Yield point, cyclic yield behavior of tantalum (Helebrant and Stephens), December, 536
Yield strength, plastic-strip specimen for fatigue crack propagation studies in low yield strength alloys (McHenry and Irwin), December, 455

Z

Zolkov, E.: Standard penetration test and foundation practice in fine sands in Israel, September, 336